Express Mail Label No.	Dated:

Docket No.: 09450/0204219-US0

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Kazunori Yoshino

Application No.: National Phase of

PCT/JP2005/006628

Confirmation No.: N/A

Filed: Concurrently Herewith Art Unit: N/A

For: WASTE ENERGY RECOVERY METHOD

AND WASTE ENERGY RECOVERY SYSTEM

Examiner: Not Yet Assigned

FIRST PRELIMINARY AMENDMENT

MS PCT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

Prior to examination on the merits, please amend the above-identified U.S. patent application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Abstract begin on page 3 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 4 of this paper.

Remarks/Arguments begin on page 7 of this paper.

AMENDMENTS TO THE SPECIFICATION

Docket No.: 09450/0204219-US0

Substitute Specification

Please find attached a marked-up copy and a clean copy of the substitute specification. No new matter has been added. Kindly replace the specification with the clean substitute specification attached.

AMENDMENTS TO THE ABSTRACT

Docket No.: 09450/0204219-US0

Please substitute the following paragraph(s) for the abstract now appearing in the currently filed specification:

--An oil cooler for cooling hydraulic oil that has increased in temperature due to energy loss in a hydraulic circuit a radiator for cooling engine cooling water that has increased in temperature as a result of cooling an engine and an ATAAC for cooling engine intake air that has increased in temperature as a result of being compressed by a turbocharger, are provided with heat pipes for vaporizing low-boiling medium by absorbing heat from the oil cooler the radiator and the ATAAC. A power recovery turbine is rotated by energy provided by vaporized low-boiling medium is provided for the engine. A low-boiling medium circuit is provided so as to drive the turbine by feeding the low-boiling medium that has been vaporized by waste heat energy. The low-boiling medium circuit includes the heat pipes of the oil cooler the radiator, and the ATAAC, as well as the turbine.--

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Cancelled).

Claim 2 (Currently amended): A waste heat energy recovery system comprising: an oil cooler for cooling hydraulic oil that has increased in temperature as a result of loss of energy in a hydraulic circuit that includes a pump adapted to be driven by an engine;

another cooling meansdevice for cooling another fluid that has increased in temperature as a result of operation of said engine;

a turbine for recovering driving power, said turbine provided for said engine and adapted to be rotated by energy provided by a vaporized low-boiling medium; and

a low-boiling medium circuit serves to drive said turbine by providing said turbine with the low-boiling medium that has been vaporized by waste heat energy from the oil cooler and the aforementioned other cooling means;

wherein said turbine is connected to a power transmission system that branches off from a power transmission unit that enables said engine to drive said pump.

Claim 3 (currently amended): A waste heat energy recovery system as claimed in claim 2, wherein:

said other cooling means device is a radiator for cooling engine cooling water that has increased in temperature as a result of cooling said engine.

Claim 4 (currently amended): A waste heat energy recovery system as claimed in claim 2, wherein:

said other cooling means device is an intake air cooler for cooling engine intake air that has increased in temperature as a result of being compressed by a turbocharger.

Claim 5 (Currently amended): A waste heat energy recovery system comprising: an oil cooler for cooling hydraulic oil that has increased in temperature as a result of loss of energy in a hydraulic circuit that includes a pump adapted to be driven by an engine;

a radiator for cooling engine cooling water that has increased in temperature as a result of cooling said engine;

an intake air cooler for cooling engine intake air that has increased in temperature as a result of being compressed by a turbocharger;

a turbine for recovering driving power, said turbine provided for said engine and adapted to be rotated by energy provided by a vaporized low-boiling medium; and

a low-boiling medium circuit serves to drive said turbine by providing said +turbine with the low-boiling medium that has been vaporized by waste heat energy from the oil cooler and said other cooling means;

wherein said turbine is connected to a power transmission system that branches off from a power transmission unit that enables said engine to drive said pump.

Claim 6 (currently amended): A waste heat energy recovery system as claimed in any one of the claims from claim 2 to claim 5, wherein said a low-boiling medium circuit comprises:

heat pipes that permit a part of the low-boiling medium that is fed from a low-boiling medium pump to an evaporator of an air conditioning device circuit to branch off from said air conditioning device circuit and pass through said oil cooler and said other cooling means device so that said low-boiling medium vaporizes by absorbing heat from said oil cooler and said other cooling means device,

Application No. National Phase of PCT/JP2005/006628 6 Amendment dated April 20, 2006 First Preliminary Amendment

wherein said air conditioning device circuit comprising comprised:

a compressor, a condenser, a receiver, said low-boiling medium pump, an expansion valve, and said evaporator, all of which are installed in a construction machine and connected to one another in an endless circuit;

Docket No.: 09450/0204219-US0

a feed line serving to provide said turbine with the low-boiling medium that has been vaporized inside said heat pipes; and

return line serving to recirculate the low-boiling medium from said turbine to the intake end of said compressor of said air conditioning device circuit.

Claim 7 (Cancelled).

First Preliminary Amendment

REMARKS

The specification is amended in accordance with 37 CFR §1.78 to make reference to the

Docket No.: 09450/0204219-US0

International Application from which this application originates and to incorporate by reference the

Japanese priority applications. Also the specification is amended to conform to U.S. practice and

correct typographical errors. A marked-up copy and a clean copy of the substitute specification are

provided.

Claims 1, 2, 5 and 7 have been amended under Article 19 on August 1, 2005 but these

amendments are incorporated herein in the Preliminary Amendment. Claims 1 and 7 have been

canceled without prejudice. Claim 6 has been amended to eliminate multiply dependency.

amendment is made to reduce filing fees and not for any other reason related to patentability of such

claim. Claims 2-5 have been amended to put them in conformity with US claiming style.

Abstract has been amended to conform to US practice.

No new matter has been added by these amendments.

In view of the above amendment, applicant believes the pending application is in condition

for allowance.

Dated: April 20, 2006

Respectfully submitted,

Registration No.: 47,522

DARBY & DARBY P.C.

P.O. Box 5257

New York, New York 10150-5257

(212) 527-7700

(212) 527-7701 (Fax)

Attorneys/Agents For Applicant